

Lamp test report

Product Remark

Type:1#	NO.:302	Manufacturer:
TempIn:23.1C	TempOut:22.8C	Humidity:%
Operator:	Time:16:07:40	Date:2018-1-24

CIE Color Parameter

Chromaticity Coordinate: $x=0.3028$ $y=0.3085$ $u=0.1987$ $v=0.3036$ $duv=-0.0024$
 CCT: $T_c=7359K$ DominantW.: 481.3nm Purity: 12.5%
 Peak Wave: 456nm Half Wave: 27.9nm RatioR=13.9% G=81.3% B=4.9%

Rending Idx: Ra= 79.9 Ra'= 72.0

R1 =79	R2 =86	R3 =85	R4 =78	R5 =78	R6 =76	R7 =87	R8 =70
R9 =5	R10=61	R11=74	R12=49	R13=81	R14=91	R15=78	




Photo Parameter

Flux: 3642.4 lm Effice:116.7lm/W Lumi.Pow: 9.738W

Electrical Parameter

Voltage: 13.0V Current:2.401A Power:31.21W PF:1.000

Instrument Status

Instrument:HopooHSP5000	Lamp:A2856K/789.6lm	Scan Range:380nm-780nm
TestModel:Exact	Interval:5nm	PMT Temp:26.1C
Main:3	Id:67	Ip:20848
Reference:1	REF:6521	Undulation:0.123%