

Lamp test report

Product Remark

Type:1#	NO.:304	Manufacturer:
TempIn:23.2C	TempOut:22.9C	Humidity:%
Operator:	Time:16:17:32	Date:2018-1-24

CIE Color Parameter

Chromaticity Coordinate: x=0.3072 y=0.3185 u=0.1980 v=0.3078 duv=0.0006
 CCT: Tc= 6926K DominantW.: 485.1nm Purity: 10.0%
 Peak Wave: 454nm Half Wave: 26.3nm RatioR=13.6% G=82.3% B=4.1%

Rending Idx: Ra= 76.8 Ra'= 67.6

R1 =75	R2 =81	R3 =81	R4 =77	R5 =75	R6 =72	R7 =86	R8 =67
R9 =-7	R10=51	R11=73	R12=45	R13=77	R14=89	R15=73	




Photo Parameter

Flux: 2742.7 lm Effice:111.5lm/W Lumi.Pow: 8.261W

Electrical Parameter

Voltage: 13.0V Current:1.870A Power:24.60W PF:1.000

Instrument Status

Instrument:HopooHSP5000	Lamp:A2856K/789.61m	Scan Range:380nm-780nm
TestModel:Exact	Interval:5nm	PMT Temp:26.3C
Main:2	Id:67	Ip:16893
Reference:2	REF:49648	Undulation:-2.602%