

## Lamp test report

**Product Remark**


Type:1#	NO.:305	Manufacturer:
TempIn:23.2C	TempOut:22.9C	Humidity:%
Operator:	Time:16:21:15	Date:2018-1-24

**CIE Color Parameter**

Chromaticity Coordinate: x=0.3079 y=0.3129 u=0.2007 v=0.3058 duv=-0.0028  
 CCT: Tc= 6948K DominantW.: 481.4nm Purity: 10.4%  
 Peak Wave: 452nm Half Wave: 26.6nm RatioR=13.9% G=82.1% B=4.0%

**Rending Idx:**

Ra= 76.8 Ra'= 68.2  
 R1 =77 R2 =80 R3 =79 R4 =78 R5 =77 R6 =71 R7 =84 R8 =68  
 R9 =-3 R10=49 R11=75 R12=47 R13=77 R14=88 R15=75



**Photo Parameter**

Flux: 1498.2 lm Effice:107.8lm/W Lumi.Pow: 4.283W

**Electrical Parameter**

Voltage: 13.2V Current:1.050A Power:13.90W PF:1.000

**Instrument Status**

Instrument:HopooHSP5000	Lamp:A2856K/789.6lm	Scan Range:380nm-780nm
TestModel:Exact	Interval:5nm	PMT Temp:26.3C
Main:3	Id:67	Ip:34943
Reference:2	REF:25575	Undulation:-6.776%