


Lightsource test report

Product Remark

Type:D2
TempI:23.3°C
Operator:01

Manufacturer:
Temperature:24.3°C
Date:2018-04-26

Humidity:65%



CIE Color Parameter

Chromaticity Coordinate: x=0.3774 y=0.3774 u=0.2229 v=0.3343
CCT: Tc= 4289K Dominant wave: 579.1nm Purity: 26.5%
Red Ratio:R=0.179 Peak Wave: 570nm Half Width: 7.8nm

Rending Index: Ra= 76.2

R1 =72	R2 =87	R3 =95	R4 =73	R5 =75	R6 =84	R7 =79
R8 =45	R9 =-43	R10=70	R11=69	R12=79	R13=75	R14=97

Photo Parameter

Luminous Flux: 3882.5 lm Light Efficiency: 88.2 lm/W

Electrical Parameter

Voltage: 12.0V Current:1.000A Power: 44.0W PF:0.998

Bulb Parameter

Voltage: 89.0V Current:0.442A Power: 38.0W PF:0.999
Lamp effic:102.2lm/W

Instrument Status

Scan Range: 380nm-780nm	Interval: 5nm	PMT HV: -255V
Main: 1	Id: 24	Ip: 22890
Reference: 3	REF: 17854	#: -1.400%